

DESCRIPTION:

eOx[®] Black Remover is a liquid, inhibited acid cleaner, designed for professional cleaning of heavy contaminated Stainless Steel surfaces. (f.i. descale heat-exchangers). eOx[®] Black Remover has also good degreasing capabilities. It is to be used only on acid resistance material as Stainless Steel, Plastics, etc. Product is mainly used in "Cleaning In Place" applications.

APPLICATION

eOx[®] Black Remover can be used for multiple cleaning applications and processes: The cleaning time, selected dilution and rinsing depends on the nature and thickness of the contaminant or scaling. Because of the great variation of contamination, a small scale test is normally conducted at the eOx R&D facility to determine the optimum and most economical application.

Standard (Flush) Cleaning In Place method C.I.P.

- Product concentration pure till 1:10 depending of dirt level
- Circulating Cleaning time 10 – 60 min. (depending on test)
- Flush with water
- Neutralise by flushing with 4% eOx Economic alkali cleaner
- Flush with plenty of water

DIRECTIONS FOR USE: General Cleaning

All materials must be thoroughly rinsed with water after cleaning.

PRODUCT INFORMATION

Purpose	Cleaning and degreasing of heavy contaminated stainless-steel surfaces
usage Temperature	Room temperature
Storage Temperature	Do not store or use under 2°C (35°F) – and not above 50°C (122°F)
Solubility in Water	100 %
Flashpoint	None
pH-value	>1
Waste information	Removal as waste according to local and national prescriptions

Package: 25 L. Jerrycans - Barrel 210L – IBC 1.000L
Shell life 4 years

PI-02-202104